(up

"Made available under NASA sponsorship in the interest of early and wide dissemination of Earth Resources Survey Program information and without liability for any use made thereof."

E7.4-10.188 CR-136327

Detection of Moisture and Moisture Related Phenomena from Skylab

(E74-10188) DETECTION OF MOISTURE AND N74-14052
MOISTURE RELATED PHENOMENA FROM SKYLAB
Monthly Progress Report, Dec. 1973
(Kansas Univ Center for Research, Inc.)
Unclas
19 p HC \$3 00 - CSCL 08M G3/13 00188

Joe R. Eagleman Principal Investigator

Monthly Progress Report, December 1973

Atmospheric Science Laboratory Center for Research, Inc. University of Kansas

Detection of Moisture and Moisture Related Phenomena from Skylab

Joe R. Eagleman Principal Investigator

Ernest C. Pogge and Richard K. Moore Co-investigators

Norman Hardy, Wen Lin and Larry League Graduate Research Assistants

> Atmospheric Science Laboratory Space Technology Center Center for Research, Inc. University of Kansas Lawrence, Kansas 66045

Ryborn R. Kirby, Technical Monitor Principal Investigations Management Office Lyndon B. Johnson Space Center Houston, Texas 77058

EREP NO. 540-A2 March 19, 1973 to August 31, 1974

Contract Number NAS 9-13273

S194 Measurements and Soil Moisture

Initial correlations between the \$194 antenna temperature and soil moisture content have been made for three sets of data. One of these obtained for June 5, 1973 from Skylab 2 was previously reported (October Progress Report). Further analysis of these data and comparisons with that obtained from Skylab 3 on August 5 in Kansas and August 8 in Texas will be included in this progress report.


The test sites for Skylab 3 data collection are shown in Figure 1 for Kansas and 2 for Texas. These figures also show the distribution of weather radar echoes several days prior to Skylab data collection. Although the radar echoes are not always good measures of rainfall at the surface, they do serve as useful supplementary information on moisture distributions. Actual soil moisture measurements were used for correlating with Skylab data.


Correlation coefficients were calculated using the S194 antenna temperature measured every 3.5 nautical miles from Skylab 2 on June 5, 1973 over the Texas test site. Table 1 gives the correlation coefficients and regression equations determined for various soil depths. This table differs slightly from a similar table reported in October since three antenna temperatures were averaged to obtain the previous correlations. Table 1 was obtained by correlating single antennae temperatures measured every 3.5 nautical miles with the average measured soil moisture within a 3.0 nautical mile radius of the center point of the radiometric measurement. The antenna temperature is highly correlated with the moisture content of the surface layers with the 0 to 2 inch layer slightly better than the 0 to 1 inch layer for the first set of data. Figures 3 and 4 show the relationships for these two layers.

TABLE ::
CORRELATION BETWEEN SOIL MOISTURE AND S-194 ANTENNA TEMPERATURE

		SL2: 6-5-73 Texas
Soil Moisture Layer	Correlation Coefficient	Regression Equation
0-1 inch 1-2 inch 2-3 inch 3-4 inch 4-5 inch 5-6 inch 0-2 inch 0-3 inch 3-6 inch 0-6 inch	-0.984 -0.985 -0.938 -0.905 -0.863 -0.857 -0.987 -0.979 -0.977	SM=94.80 - 0.3353AT SM=88.02 - 0.2996AT SM=65.63 - 0.2097AT SM=59.30 - 0.1816AT SM=53.69 - 0.1589AT SM=61.03 - 0.1873AT SM=91.33 - 0.3171AT SM=82.83 - 0.2816AT SM=58.01 - 0.1760AT SM=72.13 - 0.2359AT

Sample Size=50 SM=Soil Moisture AT=Antenna Temperature








Fig. 3 Correlation Scattergram --- Antenna temperature vs. soil moisture 0-1 inch in depth.




Fig. 4 Correlation Scattergram --- Antenna temperature vs. soil moisture 0-2 inches in depth.

A similar analysis of Skylab 3 data obtained on August 5, 1973 over the Kansas site resulted in correlation coefficients and regression equations shown in Table II. The correlation coefficients are not as high for this set of data. The best correlation between the antenna temperature and soil moisture existed for the 0 to 1 in. layer with the 0 to 2 inch layer second. Scatter diagrams of these relationships are shown in Figures 5 and 6. The correlation coefficients may be lower because of the small variations in soil moisture across the test site. Figure 7 shows that the surface moisture varied from slightly more that 1% to a little less than 5%. With this small variation over a distance of 84 nautical miles the location of soil moisture sampling sites and measurement techniques were much more critical than with larger variations and may have contributed to lower correlations corresponding antenna temperatures over the test site are shown in Figure 8. The variations were small and are in the same direction as observed previously over the Texas test site.

Data obtained over Texas on August 8 from Skylab 3 again gave good correlations as shown in Table III. The highest correlation between antenna temperature and soil moisture was obtained for the 0 to 1 inch layer (-0.95). Because of the past history of rainfall the soil moisture of the surface layer was not as correlated with the moisture content of deeper layers. The correlation between antenna temperature and soils moisture dropped to -0.81 for the 1 to 2 inch layer of soil. The 0 to 2 inch layer average is also considerable less than that of the 0 to 1 inch layer. The scatter diagrams for these two layers are shown in Figures 9 and 10.

Actual variations in Antenna Temperature and soil moisture are shown in Figures 11 and 12 respectively. Total soil moisture variations were almost 13% with lower antenna temperatures corresponding to higher moisture contents.

Summary of Significant Results


Correlations between the S194 antenna temperature and soil moisture have been obtained for three sets of data; one for Skylab 2 and two for Skylab 3. The best correlations were obtained for the surface to one inch depth in two cases and for the surface to two inches depth for the third case. Correlation coefficients for the surface to one inch depth were -0.98, -0.95 and -0.82. The lowest correlation coefficient was obtained with a total soil moisture variations less than 4% across the test site.

TABLE II

CORRELATION BETWEEN SOIL MOISTURE AND S-194 ANTENNA TEMPERATURE

Soil Moisture Layer	Correlation Coefficient	Regression Equation
0-1 inch	-0.820	SM=136.29 - 0.4901AT
1-2 inch	-0.791	SM=167.96 - 0.5901AT
2-3 inch	-0.790	SM=153.97 - 0.5319AT
3-4 inch	-0.786	SM=143.98 - 0.4952AT
4-5 inch	-0.918	SM=106.02 - 0.3527AT
5-6 inch	-0.806	SM=140.01 - 0.4779AT
0-2 inch	-0:807>-	SM=152.18 - 0.5402AT
0=3 inch	-0.806	SM=152.62 - 0.5369AT
3-6 inch	-0.934	SM=129.98 - 0.4418AT
0-6 inch	-0.5780	SM=141.53 - 0.4902AT;

Sample Size=20 SM=Soil Moisture AT=Antenna Temperature



. Fig. 5

r = -0.81





Fig. 6



S-194 TEMPERATURE VARIATIONS IN DEGREES K ALONG THE TEST TRACK (KANSAS 8-5-73) DEGREES 1 0 Miles=Lat. 38.162 Long. 98.813 84 Miles=Lat. 37.255 Long. 97.336 **NAUTICAL MILES** Fig. 8

TABLE III:

CORRELATION BETWEEN SOIL MOISTURE AND S-194 ANTENNA TEMPERATURE

		8-8-73 Texas	
Soil Moisture Layer	Correlation Coefficient	Regression Equation	
0-1 inch	-0.954	SM =112.43-0.4001AT	
1-2 inch	-0.811	SM= 69.88-0.2359AT	
2-3 inch	-0.490	SM= 39.12-0.1151AT	
3-4 inch	-0.034	SM = 11.44 - 0.0087AT	
4-5 inch	0.251	SM= +8:309+0-0670 AT	
5-6 inch	0.388	SM = -15.97 + 0.0972AT	
0-2 inch	-0.911	SM= 91.15-0.3180AT	
0-3 inch	-0.839	SM= 73.81-0.2503AT	
3-6 inch	0.205	SM = -4.18 + 0.0517AT	
0-6 inch	-0.440	SM = .34.79 - 0.0992AT	

Sample Size=50 SM=Soil Moisture AT=Antenna Temperature

2 720

#; O<u>⊤</u>l; inch EQUATION TYPE 1 OF DEGREE 1 SCALE FACTOR ON X IS 1.00E 02 SCALE FACTOR ON Y IS 1.00E 02 Х 0.135 0.128 0.105 0.090 0.075 0,060 0.045 ā:030 · ò.015 ·

Fig. 9

2.480

2.510

2.540

2.570

X VALUES

2.600

2.630

2,660

2.690

0.000 .---2.450





Fig. 10



BY % OF WEIGHT ALONG THE TEST TRACK (TEXAS 8-8-73)

